

Web

Results 1 - 10 of about 2,390,000 for **database connectivity layer**. (0.24 seconds)

Architectures for Database Connectivity

This paper addresses the technical issues of **database connectivity** with an ...

The **database layer** (Tier 3) is comprised of one or more **database** instances. ...

www.javaexchange.com/dcb_white.html - 17k - [Cached](#) - [Similar pages](#)

6 Database connections

Connection object from the JDBC management layer's `java.sql`. ... where a subprotocol names a particular kind of **database connectivity** mechanism that may be ...

java.sun.com/j2se/1.3/docs/guide/jdbc/spec/jdbc-spec.frame6.html - 13k - [Cached](#) - [Similar pages](#)

Internet Systems - October 1996 - The JDBC Connection

Following in the footsteps of Microsoft and open **database connectivity** ...

Connection object directly from the JDBC management layer and the `java.sql`. ...

www.dbmsmag.com/9610i06.html - 20k - [Cached](#) - [Similar pages](#)

The History of JavaScript and Databases - WebReference.com-

Both have used XML as a **database connection** translation layer instead of a direct **connect** or through common **database** connectors (such as ODBC or JDBC). ...

www.webreference.com/programming/javascript/j_s/column9/ - 32k - Sep 14, 2005 - [Cached](#) - [Similar pages](#)

Macromedia - Databases Topic Center

Troubleshooting data sources and **database connectivity** for Windows platforms ...

Use the data access layer and the Graphics Device Interface + (GDI+) to ...

www.macromedia.com/devnet/topics/databases.html - 34k - [Cached](#) - [Similar pages](#)

The Design of a Robust Persistence Layer for Relational Databases

The Design of a Robust Persistence Layer for Relational Databases ... Java Data Object (JDO) Specification · Java **Database Connectivity** (JDBC) Specification ...

www.ambisoft.com/persistenceLayer.html - 18k - [Cached](#) - [Similar pages](#)

Accessing a Database

As a rule, you should always use a **connection pool** to access a **database**. ...

Ideally, the business logic layer should encapsulate the data access details, ...

struts.apache.org/faqs/database.html - 19k - [Cached](#) - [Similar pages](#)

NewsGroups

Dedicated to **Database Connectivity** issues that relate to OpenLink Data Access

... OpenLink's **Database** Independent Communications Layer for remote Oracle ...

www.openlinksw.com/support/teclinks.htm - 12k - Sep 14, 2005 - [Cached](#) - [Similar pages](#)

What is ODBC? - A Word Definition From the Webopedia Computer ...

(pronounced as separate letters) Short for Open **DataBase Connectivity**, ...

ODBC manages this by inserting a middle **layer**, called a **database** driver, between ...

www.webopedia.com/TERM/O/ODBC.html - 42k - Sep 14, 2005 - [Cached](#) - [Similar pages](#)

Database Connectivity

The **Database Connection** package for Dolphin Smalltalk offers an interface ...

databases through Microsoft's **Open Database Connectivity** (ODBC) driver layer. ...

www.object-arts.com/Lib/EducationCentre4/htm/databaseconnectivity.htm - 4k - [Cached](#) - [Similar pages](#)


Gooooooooogle ►
Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)


Free! Instantly find your email, files, media and web history. [Download now.](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Hurricane Katrina Resources](#) - [About Google](#)

©2005 Google



Web

Results 1 - 10 of about 4,350,000 for **interface database connectivity layer**. (0.26 seconds)

Accessing a Database

As a rule, you should always use a **connection pool** to access a **database**.

The **DataSource interface** is the preferred way to implement a **connection pool** today. ...

struts.apache.org/faqs/database.html - 19k - [Cached](#) - [Similar pages](#)

ODBC - Open DataBase Connectivity

(**Open Database Connectivity**) An open standard **interface** used to access **databases**

... ODBC manages this by inserting a middle **layer**, called a **database driver** ...

www.auditmypc.com/acronym/ODBC.asp - 27k - [Cached](#) - [Similar pages](#)

Composite Applications and Service-Oriented Architectures

The **integration layer** is responsible for taking an object, such as **customer**, ...

JDBC (Java Database Connectivity) is an application program **interface (API)** ...

www.seebeyond.com/resource/index2.asp - 18k - [Cached](#) - [Similar pages](#)

Internet Systems - October 1996 - The JDBC Connection

Connection interface exposes the **database** to the developer, representing the ...

Connection object directly from the **JDBC management layer** and the **java.sql** ...

www.dbmsmag.com/9610i06.html - 20k - [Cached](#) - [Similar pages](#)

Database Connectivity

... **databases** through Microsoft's **Open Database Connectivity (ODBC)** **driver layer**.

ODBC provides a common **interface** to a great number of **SQL database** ...

www.object-arts.com/Lib/EducationCentre4/htm/databaseconnectivity.htm - 4k - [Cached](#) - [Similar pages](#)

6 Database connections

6 **Database connections**. For the full **interface** descriptions see the **Java interfaces**

in ... **Connection** object from the **JDBC management layer's** **java.sql** ...

java.sun.com/j2se/1.3/docs/guide/jdbc/spec/jdbc-spec.frame6.html - 13k - [Cached](#) - [Similar pages](#)

Connectivity

CONNECTIVITY ODBC. The industry standard for **Open DataBase Connectivity**. ...

CONNECTIVITY. Introduction · D3 MQSeries Server **Interface** · FlashCONNECT ...

www.rainingdata.com/products/connect/odbc/ - 18k - Sep 14, 2005 - [Cached](#) - [Similar pages](#)

SWI-Prolog ODBC Interface

2 The **ODBC layer**. 2.1 **Connection** management. The **ODBC interface** deals with a ...

database_name(Atom): Name of the **database** associated to the **connection**. ...

www.swi-prolog.org/packages/odbc.html - 47k - [Cached](#) - [Similar pages](#)

The Design of a Robust Persistence Layer for Relational Databases

This paper presents the design for a robust persistence **layer** for using ...

Java Data Object (JDO) Specification · **Java Database Connectivity (JDBC)** ...

www.ambysoft.com/persistenceLayer.html - 18k - [Cached](#) - [Similar pages](#)

Architecture of Oracle Net Services

When the client initiates a **connection** to the **database** server, SSL performs a


... Instead of OCI, the **database** server uses **Oracle Program Interface (OPI)**. ...

www.lc.leidenuniv.nl/awcourse/oracle/network.920/a96580/architec.htm - 44k - Sep 14, 2005 -
[Cached](#) - [Similar pages](#)

Gooooooooogle ►

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)

Free! Get the Google Toolbar. [Download Now](#) - [About Toolbar](#)



[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Hurricane Katrina Resources](#) - [About Google](#)

©2005 Google